

Matrix<sup>®</sup> Omni-Flow is a fully automated deep pile feeder, that is quick & easy to install, set-up and operate.



▲ Matrix Omni-Flow Feeder

### KEY FEATURES

- Retrofits to all Matrix Pneumatic & Duplex Systems
- Quick & easy to set-up
- Fully automated lamination & foiling
- Change between paper stock in seconds

### GREAT FOR USE IN

- Digital print shops
- Commercial printers
- Copy and print shops
- In-house print

### IDEALLY SUITED FOR

- Foiling Prints
- Business cards
- Menus
- Book covers
- Brochures
- Flyers

and many more...

### Design

The Matrix Omni-Flow Deep Pile Feeder is a modular system that is designed to be simple to install, set-up and operate. The Feeder can be fitted to all Matrix Pneumatic & Duplex models.

Up to a 100mm/4-inch pile of printed media can be loaded at a time. The Matrix Omni-Flow 330 can also feed in long sheet prints, up to 1250mm/49" in length.

Ideal for both the Digital and Commercial markets for short-to-medium run lamination and foiling of business cards, menus, book covers, greetings cards and bespoke prints.

### Specifications

#### Omni-Flow 330 (SRA3)

Max. Mechanical Speed (m/ft/min)	Up to 20m/66'*
Max. Paper Stack Height (mm/inches)	100mm/4"
Paper Thickness (gsm)	120-350
Maximum Sheet Width (mm/inches)	330mm/13"
Minimum Sheet Width (mm/inches)	140mm/5.5"
Maximum Sheet Length (mm/inches)	650mm/25.6"
Maximum Sheet Length (mm/inches) (with optional table extension)	1250mm/49"
Compatibility	MX-370P / MX-370DP / MX-530P / MX-530DP
Overall Dimensions WxDxH (mm/inches)	520x950x1100mm/20x37x43"
Weight (kg/lbs)	85.5/188
Power	165W (220v 50/60Hz)
Control Panel	Digital
Warranty**	1 year

\* Maximum speed of Omni-Flow is determined by the maximum speed of the Matrix used